

L Number	Hits	Search Text	DB	Time stamp
23	56	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with parameter\$1 with control\$6 with (interface\$11 or gui))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/07 12:19
24	56	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with parameter\$1 with control\$6 with (interface\$1 or gui))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/07 12:27
25	208	( customi\$8 near2 ( (user\$1 adj interface\$1) or gui)) and (dialog\$2 near1 (box\$2 or window\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/07 12:26
31	220	(customi\$8 with interface\$1).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/07 14:08
34	332	(345/200,762,809).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/07 14:26
-	206	((different\$4 with scan\$5 with calorimeter\$1) or DSC or (thermal adj1 analy\$4)) and (custom\$8 with (interfac\$4 or analy\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 07:07
-	76	((different\$4 with scan\$5 with calorimeter\$1) or DSC or (thermal adj1 analy\$4)) and ((custom or customi\$8) with (interfac\$4 or analy\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 07:42
-	22	((different\$4 with scan\$5 with calorimeter\$1) or (thermal adj1 analy\$4)) and ((custom or customi\$8) with (user\$5 or set\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 07:57
-	22	((different\$4 with scan\$5 with calorimeter\$1) or (thermal adj1 analy\$4)) and ((custom or customi\$8) with (user\$5 or set\$4 or operator\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 07:58
-	23	((different\$4 with scan\$5 with calorimeter\$1) or (thermal adj1 analy\$4)) and ((custom or customi\$8) with (user\$5 or set\$4 or operator\$1 or parameter\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 07:59
-	8616	analy\$4 and ((custom or customi\$8) with (user\$5 or set\$4 or operator\$1 or parameter\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 08:00
-	6452	analy\$4 and ((custom or customi\$8) with (user\$5 or operator\$1 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 08:00
-	1782	analy\$4 and ((custom or customi\$8) adj2 (user\$5 or operator\$1 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:13
-	333	(analy\$4 and ((custom or customi\$8) adj2 (user\$5 or operator\$1 ))) and (dialog\$2 with (box\$2 or window\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 08:07

-	206	(analy\$4 and ((custom or customi\$8) adj2 (user\$5 or operator\$1 ))) and (dialog\$2 with (box\$2 or window\$1) with display\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:15
-	2986	analy\$4 and ((customi\$8 adj2 (user adj interfac\$4)) or (dialog\$4 adj (box\$3 or window\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:16
-	1687	(analy\$4 and ((customi\$8 adj2 (user adj interfac\$4)) or (dialog\$4 adj (box\$3 or window\$1)))) and (dialog\$2 with (box\$2 or window\$1) with display\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:15
-	836	((analy\$4 and ((customi\$8 adj2 (user adj interfac\$4)) or (dialog\$4 adj (box\$3 or window\$1)))) and (dialog\$2 with (box\$2 or window\$1) with display\$3 )) and measur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:16
-	163	analy\$4 and (customi\$8 adj2 (user adj interfac\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:52
-	83	(analy\$4 and (customi\$8 adj2 (user adj interfac\$4)) ) and ((store\$1 or storing or storage or save\$1 or saving) same customi\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 11:19
-	4	(analy\$4 and (customi\$8 adj2 (user adj interfac\$4)) ) and ((thermal adj1 analy\$5) or calorimeter\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 12:04
-	18	analy\$4 and (customi\$8 adj2 (dialog\$3 adj1 (box\$3 or window\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 12:01
-	4	((thermal adj1 analy\$5) or calorimeter\$4) and (customi\$9 adj4 (user adj1 interfac\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 12:06
-	10	((thermal adj1 analy\$5) or calorimeter\$4) and ((customi\$9 or set\$5) adj4 (user adj1 interfac\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/04 12:07
-	104	(analy\$4 and (customi\$8 adj2 (user adj interfac\$4)) ) and (measur\$7 or calculat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/05 15:25
-	63	(analy\$4 and (person\$8 adj2 (user adj interfac\$4)) ) and (measur\$7 or calculat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/05 13:15
-	116	(customi\$8 adj2 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/05 17:45
-	8	(customi\$8 adj2 (operator adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/05 15:38

-	15	(personalis\$8 adj2 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 17:14
-	26	(US-6522345-\$ or US-6519571-\$ or US-6515681-\$ or US-6507842-\$ or US-6473707-\$ or US-6438575-\$ or US-6308168-\$ or US-6262728-\$ or US-6234689-\$ or US-5764546-\$ or US-5737520-\$ or US-5734863-\$ or US-6201539-\$ or US-5963884-\$ or US-5592603-\$ or US-5897635-\$ or US-5874966-\$ or US-5727161-\$ or US-5481741-\$).did. or (US-20020112171-\$ or US-20020063735-\$ or US-20020035501-\$ or US-20020015064-\$ or US-20020057018-\$ or US-20020015042-\$ or US-20010037496-\$).did.	USPAT; US-PGPUB	2003/03/05 17:18
-	21	((US-6522345-\$ or US-6519571-\$ or US-6515681-\$ or US-6507842-\$ or US-6473707-\$ or US-6438575-\$ or US-6308168-\$ or US-6262728-\$ or US-6234689-\$ or US-5764546-\$ or US-5737520-\$ or US-5734863-\$ or US-6201539-\$ or US-5963884-\$ or US-5592603-\$ or US-5897635-\$ or US-5874966-\$ or US-5727161-\$ or US-5481741-\$).did. or (US-20020112171-\$ or US-20020063735-\$ or US-20020035501-\$ or US-20020015064-\$ or US-20020057018-\$ or US-20020015042-\$ or US-20010037496-\$).did.) and measur\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 17:21
-	735	(program\$8 adj2 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 17:46
-	243	(program\$8 adj (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 17:46
-	243	(program\$8 adj1 (user adj interfac\$4)) and measur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 18:27
-	162	( (program\$8 adj1 (user adj interfac\$4)) and measur\$7 ) and analy\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:21
-	158	((user or operator) adj interfac\$4) and ((thermal adj analy\$5) or calorimeter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:31
-	488	((dialog\$4 adj (box\$2 or window\$1)) with set\$4 with display\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:44
-	304	((((dialog\$4 adj (box\$2 or window\$1)) with set\$4 with display\$4)) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:43

-	58	((dialog\$4 adj (box\$2 or window\$1)) with set\$4 with display\$4) same (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 17:58
-	6	((dialog\$4 adj (box\$2 or window\$1)) with set\$4 with display\$4 with option\$4) same (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 17:48
-	22	((dialog\$4 adj (box\$2 or window\$1)) with display\$4 with ("no" or "not" or "non")) same (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 18:38
-	183	(window\$1 with display\$4 with ("no" or "not" or "non")) same (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 18:40
-	16	(window\$1 with display\$4 with ("no" or "not" or "non") with input\$2) same (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 18:47
-	1	((non adj display\$4) with input\$2) same (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 18:48
-	16	((non adj display\$4) with input\$2) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 18:53
-	16	((non adj1 display\$4) with input\$2) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 18:54
-	157	(702/127).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/06 19:27
-	2030	(customi\$8 with (user\$1 near interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:13
-	5	((customi\$8 with (user\$1 near interface\$1))) and calorimeter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 10:52
-	474	(customi\$8 with (user\$1 near interface\$1)) and (select\$6 with parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 10:58
-	451	(customi\$8 with (user\$1 near interface\$1)) and (select\$6 with parameter\$1) and display\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 10:58
-	151	(customi\$8 with (user\$1 near interface\$1)) and (select\$6 with parameter\$1) and (customi\$8 with display\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 12:00

-	4	345/700-866	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 12:03
-	9045	(345/700-866).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 15:27
-	1260	((345/700-866).CCLS.) and (select\$8 with parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 12:05
-	395	((345/700-866).CCLS.) and (select\$8 with parameter\$1) and customi\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 12:05
-	393	((345/700-866).CCLS.) and (select\$8 with parameter\$1) and customi\$9 and display\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 12:09
-	216	((345/700-866).CCLS.) and (select\$8 with parameter\$1) and customi\$9 and display\$1 and dialog\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 12:06
-	86	((345/700-866).CCLS.) and (select\$8 with parameter\$1) and (customi\$9 with display\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 15:55
-	71	(345/809).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 16:39
-	43	((345/809).CCLS.) and dialog\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 15:29
-	1	((345/700-866).CCLS.) and (select\$8 with parameter\$1) and (customi\$9 with display\$1) and dialysis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 16:00
-	19	calorimet\$6 and (dialog\$2 near (box\$2 or window\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 14:34
-	189465	(seiko) .asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:01
-	6	((seiko) .asn.) and (customi\$7 with interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:03
-	151	((seiko) .asn.) and (sett\$7 with interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:04

-	53	((seiko) .asn.) and (modif\$7 with interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:04
-	243	(customi\$8 with (user\$1 near interface\$1)) and ((save\$2 or saving or store\$2 or storing) with setting\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:14
-	238	(customi\$8 with (user\$1 near interface\$1)) and ((save\$2 or saving or store\$2 or storing) with setting\$1) and display\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 11:37
-	6	"5592603"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 11:37
-	245	(gui or (user near2 interface\$1)) with parameter\$1 with analy\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 12:25
-	52	(gui or (user near2 interface\$1)) with parameter\$1 with analy\$5 with control\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 12:29
-	40	(gui or (user near2 interface\$1)) with parameter\$1 with analy\$5 with control\$5 and ((select\$5 or input\$6) with parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 12:34
-	48	(gui or (user near2 interface\$1)) with parameter\$1 with analy\$5 with control\$5 and ((select\$5 or input\$6 or set\$4) with parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 12:34
-	7	calorimet\$6 and ( customi\$8 near2 (interface\$1 or gui))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 14:36
-	11	calorimet\$6 and ( customi\$8 with (interface\$1 or gui))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 14:38
-	699	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 14:38
-	422	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 14:40
-	136	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with parameter\$1 with control\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 16:21
-	1	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with parameter\$1 with control\$6 with (interface\$1 or gui))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/07 12:19

-	2	( customi\$8 with (interface\$1 or gui)) and (dialog\$2 near1 (box\$2 or window\$1)) and ((select\$6 or input\$3 or set\$5) with parameter\$1 ) and (thermal\$2 near analy\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 17:31
-	2	"6304851"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/06 17:31